DECLARATION (37 CFR 1.63) FOR UTILITY OR DESIGN APPLICATION USING AN APPLICATION DATA SHEET (37 CFR 1.76)

| As the below named inventor(s), I/we declare that: | | | | |
|---|--|------------------------------------|--|--|
| This declaration is directed to: | | | | |
| | | | | |
| Y | The attached application, or | | | |
| | Application No | , filed on, | | |
| | as amended on | (if applicable); | | |
| I/we believe that I/we am/are the original and first inventor(s) of the subject matter which is claimed and for which a patent is sought; | | | | |
| I/ we have reviewed and amended by any amend | If we have reviewed and understand the contents of the above-identified application, including the claims, as amended by any amendment specifically referred to above; | | | |
| I/we acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me/us to be material to patentability as defined in 37 CFR 1.56, including material information which became available between the filing date of the prior application and the National or PCT International filing date of the continuation-in-part application, if applicable; and | | | | |
| All statements made herein of my/own knowledge are true, all statements made herein on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001, and may jeopardize the validity of the application or any patent issuing thereon. | | | | |
| FULL NAME OF INVEN | ITOR(S) | | | |
| Inventor one: Bruce | D. Melick | Date: 1.31.2001 | | |
| Signature: | ruce Melich | Citizen of: USA | | |
| Inventor two: David | M. Snyder | Date: [-3/-2001 | | |
| Signature: | IN Snyl- | Citizen of: USA | | |
| Inventor three: Leslie | | Date: 1.3/.0/ | | |
| Signature: | eie D/ Dung- | Citizen of: USA | | |
| Inventor four: | | Date: | | |
| Signature: | | Citizen of: | | |
| ☐ Additional inventors are b | peing named og | adritional form(e) attached barets | | |

Additional inventors are being named on additional form(s) attached hereto.

Burden Hour Statement: This collection of information is required by 35 U.S.C. 115 and 37 CFR 1 63. The information is used by the public to file (and the PTO to process) an application Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This form is estimated to take 1 minute to complete. This time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademerk Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

ATTORNEY DOCKET: P04879USI

PTO/SB/81 (10-00)

Approved for use through 10/31/2002, OMB 0651-0035

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it display a valid OMB control number.

POWER OF ATTORNEY OR AUTHORIZATION OF AGENT

| Application Number | TBA | | |
|------------------------|---------------|--|--|
| Filling Date | | | |
| First Named Inventor | MELICK et al. | | |
| Group Art Unit | TBA | | |
| Examiner Name | TBA | | |
| Attorney Docket Number | P04879US1 | | |

| I hereby appo | int- | | | | | | |
|--|---------------------------------------|---|---|-----------------|-----------------------------------|---|-----|
| Practitio | ners at (| Customer Number | 22885 | | | Place Customer Number Ber Code Label here | |
| Name Registration Number | | | | | | | |
| | /cdigitation (diliba) | | | | | | |
| | | | | 1 | | | |
| | | | | 1 | | | |
| | | | | | | | |
| as my/our attor business in the | ney(s) o United | r agent(s) to prosect States Patent and Tr | ite the application rademark Office co | identi nneci | fied above, and and therewith. | d to transact all | |
| Please change to The above- | the corre | espondence address ed Customer Numbe | for the above-iden | tified | application to: | | |
| Firm or | ····· | | | | <u> </u> | | |
| Individual Na | ime | | | | | | |
| Address | | | | | | · · · · · · · · · · · · · · · · · · · | |
| Address | | | | | | | |
| City | | | | State | | Zip | |
| Country | · · · · · · · · · · · · · · · · · · · | | | | | | |
| Telephone | | | | Fax | | | |
| I am the: | | | | | | | |
| Applican | t/Invent | or. | | | | | |
| Assignee of record of the entire interest. See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96). | | | | | | | |
| SIGNATURE of Applicant or Assignee of Record | | | | | | | |
| Name | Bruc | e D. Melick | | | | | |
| Signature | Buce Meliel | | | | | | |
| Date | /. | 31.2001 | | • | | | |
| NOTE: Signatures of all forms if more than one | the inven | tors or assignees of recor | rd of the entire interest | or their | representative(s) | are required. Submit multipl | le |
| 2 *Total of 3 | angli tercer e | ms are submitted. | | | | · · · · · · · · · · · · · · · · · · · | |
| | | | | | | | - 1 |

Burden Hour Statement: This form is estimated to take 3 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time, you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

PTO/SB/81 (10-00)

Approved for use through 10/31/2002, OMB 0651-0035

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it display a valid OMB control number.

POWER OF ATTORNEY OR AUTHORIZATION OF AGENT

| Application Number | ТВА | | |
|------------------------|---------------|--|--|
| Filing Date | | | |
| First Named Inventor | MELICK et al. | | |
| Group Art Unit | TBA | | |
| Examiner Name | TBA | | |
| Altorney Docket Number | P04879US1 | | |

| I hereby appoint: | |
|--|---|
| Practitioners at Customer Number 22885 OR Practitioner(s) named below: | Place Customer Number Bar Code Label here |
| Name | Registration Number |
| | TOGODO GROTI TROTTO |
| | |
| | |
| | |
| | |
| as my/our attorney(s) or agent(s) to prosecute the application in | tentified above, and to transact all |
| business in the United States Patent and Trademark Office cor | nected therewith. |
| | |
| Please change the correspondence address for the above-ident | ified application to: |
| The above-mentioned Customer Number. | |
| OR | |
| Firm or | |
| Individual Name | |
| Address | |
| Address | |
| | State Zip |
| Country | |
| | - RX |
| l am the: | |
| Applicant/Inventor. | |
| Assignee of record of the entire interest. See 37 CFR 3.7 | <u>,,</u> |
| Statement under 37 CFR 3.73(b) is enclosed. (Form PT) | (1. (1.58/06) |
| | |
| SIGNATURE of Applicant or Assigne | e of Record |
| Name Leslie D. Baych | |
| Signature Sucie & Juny | u |
| Date [.31.0] | |
| NOTE: Signatures of all the inventors or assignees of record of the entire interest of forms if more than one signature is required, see below*. | r their representative(s) are required. Submit multiple |
| ✓ *Total of 3 forms are submitted. | |
| | |

Burden Hour Statement: This form is estimated to take 3 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time, you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office. Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS, SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

PTO/SB/81 (10-00)

Approved for use through 10/31/2002. OMB 0651-0035

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of Information unless it display a valid OMB control number.

→[+]

POWER OF ATTORNEY OR AUTHORIZATION OF AGENT

| Application Number | TBA | | |
|------------------------|-------------------|--|--|
| Filing Date | | | |
| First Named Inventor | MELICK et al. TBA | | |
| Group Art Unit | | | |
| Examiner Name | TBA | | |
| Attorney Docket Number | P04879US1 | | |

| I harahy annoint | | | | |
|--|--|-----------------------------|---|--|
| I hereby appoint: | s at Customer Number 22885 | | Place Customer | |
| OR | s at Customer Number | | Number Bar Code Label here | |
| Practitioner(| s) named below: | | Labor 11010 | |
| Name Registration Number | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| as my/our attorney business in the Un | r(s) or agent(s) to prosecute the application ited States Patent and Trademark Office | on identifie | d above, and to transact all | |
| Samilard III ald Att | red diales i atent and mademan Onice | CONTROCTE | i therewith. | |
| Dieses changs the | company and the fact that the state of | | | |
| The above-me | correspondence address for the above-id intioned Customer Number. | entified ap | plication to: | |
| OR | | | | |
| Firm or | | | | |
| Individual Name | | | | |
| Address | | | | |
| Address City | | 1 1 | | |
| Country | | State | Zip | |
| Telephone | | Fax | | |
| l am the: | | | | |
| ✓ Applicant/In | ventor. | | | |
| ☐ Assigned of | record of the outing interest Day OF OFF | | | |
| Statement u | record of the entire interest. See 37 CFR under 37 CFR 3.73(b) is enclosed. (Form | l 3.71. <i>PTOISBI</i> O | 6) | |
| | SIGNATURE of Applicant or Assi | | | |
| Name I | David M. Snyder | Auga Ot M | CGG | |
| | D-11!! () | | | |
| Signature | To disayl | | | |
| NOTE: Signatures of all the | 1-31-2001 | | | |
| forms if more than one signa | inventors or assignees of record of the entire inter- ature is required, see below. | ast or their re | presentative(s) are required. Submit multiple | |
| Ø *Total of 3 | forms are submitted | | | |

Burden Hour Statement: This form is estimated to take 3 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time, you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO, Assistant Commissioner for Patents, Washington, DC 20231.

```
IF NOT tc.open(":SHARETBL:ITEMMSTR.DB") THEN msgStop("Stop","Cannot locate tables.\n\nAre you logged into the network properly?") exit()
                                                                                                                                                                                     ; ELECTRONIC SYSTEM FOR RECORDING, STORING, AND RETREIVING MATERIAL HANDLING EQUIPMENT RECORDS AND CERTIFICATIONS
                                                                                                                                                                                                                                                                                               if eventInfo.isPreFilter() then
;// This code executes for each object on the form:
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      ; attempt to open a tcursor on the network....
                                                                                                                                                                                                                                                                                                                                                                                                     ;// This code executes only for the form:
                                                                               ; 1/12/97
; Bruce Melick - OnTheEdge Solutions
method open (var eventInfo Event)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  hidespeedbar()
tc.close()
mm.addtext("&WireRope")
mm.addtext("&WireRope")
mm.addtext("Wesb")
mm.addtext("Wesb")
mm.addtext("&RRound")
mm.addtext("&Exit")
                                                                                                                                                                                                                                                                                                                                                                                                                                                              doDefault
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  ENDIF
endif
                                                                                                                                                                                                                                                                                                                                                                                 else
```

```
method pushButton(var eventInfo Event)

; open a form that allows user to work with chain sling data
IF f.open("mmChain") THEN
    f.wait()
ELSE
    MsgStop("STOP","Cannot find input form")
ENDIF
```

The first state of the first sta

```
IF NOT tc.open(":SLINGS.DB") THEN
msgStop("Stop","Cannot locate tables.\nThis application requires the use of network tables.\n\nAre you logged into the network properly?")
exit()
ELSE
                                                                                                                                 ELECTRONIC SYSTEM FOR RECORDING, STORING, AND RETREIVING MATERIAL HANDLING EQUIPMENT RECORDS AND CERTIFICATIONS
                                                                                                                                                                                                                                                                      if eventInfo.isPreFilter() then
;// This code executes for each object on the form:
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  ; attempt to open a tcursor on the network....
                                                                                                                                                                                                                                                                                                                                                                               ;// This code executes only for the form:
                                                    ; Bruce Melick - OnThe Edge Solutions
method open (var eventInfo Event)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        hidespeedbar()
tc.close()
nm.addtext("Input")
nm.addtext("Inspect")
nm.addtext("Reports")
nm.addtext("Return")
                                                                                                                                                                                              doDefault
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             ENDIF
endif
                                                                                                                                                                                                                                                                                                                                                        else
```

```
method RptView()
```

Form Var RptToolBar endVar if RptToolBar.Open(":SHAREFRM:TOOLBARB.FDL") then RptToolBar.setPosition(100,650,5600,950) RptToolBar.DisplayReport(vReportName) RptToolBar.Wait() RptToolBar.Close()

endif endmethod

```
if eventInfo.isPreFilter() then
    ;// This code executes for each object on the form:
else
    ;// This code executes for the form:
    ; put up a message dialog box for future use...
    MessageDlg.open(":SHAREFRW:MSGDLG8.FDL",WinStyleHidden)
    MessageDlg.open(":SHAREFRW:MSGDLG8.FDL",WinStyleHidden)
    MessageDlg.open(":SHAREFRW:MSGDLG8.FDL",WinStyleHidden)
    MessageDlg.open(":SHAREFRW:MSGDLG8.FDL",WinStyleHidden)
    ; take a copy of various tables for use later
    ; take a copy of various tables for use later
    ; crectol.unattach(":sharetbl:paramtrs.db")
    srcTbl.unattach(":slings:LinkMfg.db")
    srcTbl.unattach(":slings:LinkMfg.db")
    srcTbl.unattach(":slings:LinkSize.db")
    srcTbl.unattach(")
```

endif endmethod

Age had been upon upon upon green for the start of the st

```
method arrive(var eventInfo MoveEvent)
```

if eventInfo.isPreFilter() then
;// This code executes for each object on the form

else ;// This code executes only for the form

MessageDlg.open(":sharefrm:MSGDLG8.FDL",WinStyleHidden) MessageDlg.setPosition(4500,4000,4000,2350)

endIf

```
CASE eventinfo.vchar() = "VK_F7":
MsgInfo("Note", "You cannot view the underlying tables from this input form.")
disableDefault
CASE eventinfo.vchar() = "VK_INSERT" AND pgRecord.focus = true:
MsgInfo("Note", "You cannot insert new sling records from this form.")
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        pushButton(insertRecButton)
CASE eventinfo.vChar() = "VK_DELETE" AND pgRecord.focus = true :
    MsgInfo("Note", "You cannot delete sling records from this form.")
    disableDefault
CASE eventinfo.vChar() = "VK_DELETE" AND pgDetail.focus = true :
    disableDefault
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       CASE eventinfo.vChar() = "VK_INSERT" AND pgDetail.focus = true :
                                                                                                                                                                                                                                    CASE eventinfo.vChar() = "VK_F6" AND pgRecord.focus = true ; function key for moving to page two disableDefault
                                                                                                                                                                                                                                                                                                                                                                          CASE eventinfo.vChar() = "VK_F6" AND pgDetail.focus = true; function key for moving to page one
                                                                  if eventInfo.isPreFilter() then
;// This code executes for each object on the form:
                                                                                                                                  ; trap any users key strokes...this is inquiry only!
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      ;// This code executes only for the form:
method keyPhysical(var eventInfo KeyEvent)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       pushButton(DeleteButton)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    disableDefault
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       disableDefault
                                                                                                                                                                                                                                                                                                                                                                                                                                            disableDefault
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     moveToPage(1)
                                                                                                                                                                                                                                                                                                                                               moveToPage(2)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 ENDSWITCH
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         endif
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            else
```

method DelA11()

; delete the master equipment record and ALL detail inspection records ; associated with the equipment

String UIObject Number

DelChoice2, delno

Tblobj delcount

endvar

The first state again the state state in the state state is the state of the state

```
; Delete the detail records first.....
delno = SLingID.value
DelChoice2 = msgQuestion("FINAL WARNING","You will delete a Sling Record: "+STRVAL(delno)+" and ALL of the associated inspection records!?\
IF DelChoice2 = "No" THEN
RETURN
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      IF delcount <> 0 THEN
msgInfo("Records Deleted", "Sling ID Record: "+STRVAL(FORMAT("w6", delno))+" and "+STRVAL(FORMAT("w6", delcount))+" detail inspection records
ENDIF
                                                                                                                                                                                                                                                                                                                          ; open a tcursor on maint.db and delete all the details records first....
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      ; now that all the detail records are gone, delete the master.... action (DataDeleteRecord) ; deletes the current record on the screen
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       tc1.home()
while tc1.locateNext("SlingID",delno)
   tc1.deleteRecord()
   delcount = delcount+1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            IF tc1.locate("SlingID", delno) THEN
                                                                                                                                                                                                                                                                                                                                                                                          tcl.open(":slings:maint.db")
tcl.edit()
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              delcount = delcount+1
; the [Del] button is pushed.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             tc1.deleteRecord()
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           tc1.home()
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             tcl.endEdit()
                                                                                                                                                                                                                                                                                                                                                                                                                                                            delcount = 0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             endWhile
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         tcl.close()
                                                                                                                                                                                                                                                                ENDIF
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           ENDIF
```

```
method arrive(var eventInfo MoveEvent)

if eventInfo.isPreFilter() then
   ;// This code executes for each object on the form:
   else
   ;// This code executes only for the form:
   MessageDlg.open(":sharefrm:MSGDLG8.FDL",WinStyleHidden)
   MessageDlg.setPosition(4500,4000,4000,2350)
   action(dataBeginEdit)
  endif
```

```
IF eventinfo.id() = dataDeleteRecord AND delflag = "nogo" THEN
    msgInfo("STOP","To delete sling inspection records, use the [DEL] Button.")
    disableDefault
ENDIF
                                                                                                                                                                                         ; if user presses Ctrl|Del then stop them from proceeding; the delete flag (delflag) must be set to "go" and the only; way that can happen is if the user presses the DEL button
                                                                            if eventInfo.isPreFilter() then
;// This code executes for each object on the form:
method action(var eventInfo ActionEvent)
```

else ,// This code executes only for the form:

endif endmethod

```
method arrive(var eventInfo MoveEvent)
if eventInfo.isPreFilter() then
;// This code executes for each object on the form
else
;// This code executes only for the form
MessageDlg.open(":sharefrm:MSGDLG8.FDL",WinStyleHidden)
MessageDlg.setPosition(4500,4000,2350)
```

endMethod

endIf

```
action(DataBeginEdit)
IF NOT lib.open(":sharelib:varlib1.1s1",GlobalToDesktop) THEN
    Message("Could not open library")
return
ENDIF
if eventInfo.isPreFilter() then
;// This code executes for each object on the form
                                                                     else _{\it f,f/} This code executes only for the form
                                                                                                                                                                                                                                                                                           mm.addtext("")
mm.show()
                                                                                                                                   doDefault
                                                                                                                                                                                                                                                                                                                                                          endIf
```

```
if eventInfo.isPreFilter() then
i// This code executes for each object on the form
else
i// This code executes only for the form
doDefault

IF NOT lib.open(":sharelib:varlib1.1s1") THEN
Message("Could not open library")
return
teturn
i open a tcursor on the BRANCHES.DB table...
tc.open(":slings:branches.db")
endIf
```

```
The light for their spec species in the species from the species of the species o
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              ; using the variable passed from the calling form (current code field value); locate the code in the courses table
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    incoming = lib.getVar() ;take the variable passed from calling form
;incoming.view("Receiving this from the library...")
; incoming.view()
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      if eventInfo.isPreFilter() then
;// This code executes for each object on the form
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   else ;// This code executes only for the form
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   ; find manufacturer name in table if tc.locate("Branches", incoming) then tblBranches.resync(tc)
                                                                                                                                                                                                                                                                                                                                                                                                                                                               method arrive(var eventInfo MoveEvent)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    endIf
tblBranches.moveTo()
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             endMethod
```

```
if eventInfo.isPreFilter() then
   ;// This code executes for each object on the form
else
   ;// This code executes only for the form
doDefault

IF NOT lib.open(":sharelib:varlib1.ls1") THEN
   Message("Could not open library")
   return
   ENDIF
   ; open a tcursor on the Customer Master table...
tc.open(":slings:custmast.db")
endIf
```

```
The first first of the first f
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            ; using the variable passed from the calling form (current code field value); locate the code in the courses table
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               incoming = lib.getVar()    ;take the variable passed from calling form
;incoming.view("Receiving this from the library...")
; incoming.view()
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     if eventInfo.isPreFilter() then
;// This code executes for each object on the form
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   else ;// This code executes only for the form
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         // find manufacturer name in table
if tc.locate("CUST_NO", incoming) then
tblCust.resync(tc)
endIf
tblCust.moveTo()
                                                                                                                                                                                                                                                                                                                                   method arrive (var eventInfo MoveEvent)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            endIf
```

The first that then when then then the first than the first that the first than t

```
; using the variable passed from the calling form (current code field value) ; locate the code in the courses table
                                                                                                                                                                                                                                                                                                                   incoming = lib.getVar()    ;take the variable passed from calling form
;incoming.view("Receiving this from the library...")
; incoming.view()
                                                   if eventInfo.isPreFilter() then
;// This code executes for each object on the form
                                                                                                                                              else ;// This code executes only for the form
                                                                                                                                                                                                                                                                                                                                                                                                                                    find manufacturer name in table if tc.locate("Damage", incoming) then tblDamage.resync(tc)
method arrive(var eventInfo MoveEvent)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          endIf
tblDamage.moveTo()
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        endMethod
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                endIf
```

```
if eventInfo.isPreFilter() then
i// This code executes for each object on the form
else
i// This code executes only for the form
doDefault
IF NOT lib.open(":sharelib:varlib1.ls1") THEN
Message("Could not open library")
return
ENDIF
; open a tcursor on the GRADE.DB table...
tc.open(":slings:grades.db")
endIf
```

method arrive(var eventInfo MoveEvent)

```
; using the variable passed from the calling form (current code field value); locate the code in the courses table
                                                                                                                                                                                                                                                            incoming = lib.getVar() ;take the variable passed from calling form
;incoming.view("Receiving this from the library...")
; incoming.view()
if eventInfo.isPreFilter() then
;// This code executes for each object on the form
                                                                                        else ;// This code executes only for the form
                                                                                                                                                                                                                                                                                                                                                                            find manufacturer name in table if tc.locate("Grade", incoming) then tblGrades.resync(tc)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                  endIf
tblGrades.moveTo()
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                endMethod
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        endIf
```

```
if eventInfo.isPreFilter() then
    ;// This code executes for each object on the form
else
    ;// This code executes only for the form
doDefault

IF NOT lib.open(":sharelib:varlib1.ls1") THEN
    Message("Could not open library")
    return
    return
    i open a tcursor on the TYPE.DB table...
tc.open(":slings:hook.db")
endIf
```



```
; using the variable passed from the calling form (current code field value); locate the code in the courses table
                                                                                                                                                                                                                                                                                                                            incoming = lib.getVar() ;take the variable passed from calling form
;incoming.view("Receiving this from the library...")
; incoming.view()
                                                          if eventInfo.isPreFilter() then
;// This code executes for each object on the form
                                                                                                                                                  else ;// This code executes only for the form
                                                                                                                                                                                                                                                                                                                                                                                                                                                ; find manufacturer name in table if tc.locate("Hook", incoming) then tblHook.resync(tc)
method arrive (var eventInfo MoveEvent)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        endIf
tblHook.moveTo()
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   endIf
```

The first way of the man with the second of the second of

```
; using the variable passed from the calling form (current code field value); locate the code in the courses table
                                                                                                                                                                                                                                                                                                                            incoming = lib.getVar()    ;take the variable passed from calling form
;incoming.view("Receiving this from the library...")
; incoming.view()
                                                       if eventInfo.isPreFilter() then
;// This code executes for each object on the form
                                                                                                                                                else ;// This code executes only for the form
                                                                                                                                                                                                                                                                                                                                                                                                                                             // find manufacturer name in table
if tc.locate("Inspector", incoming) then
tblInspector.resync(tc)
endIf
tblInspector.moveTo()
method arrive(var eventInfo MoveEvent)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           endMethod
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      endIf
```

```
if eventInfo.isPreFilter() then
;// This code executes for each object on the form
else
;// This code executes only for the form
doDefault
IF NOT lib.open(":sharelib:varlib1.ls!") THEN
Message("Could not open library")
ENDIF
; open a tcursor on the TYPE.DB table...
tc.open(":slings:link.db")
endIf
```

method arrive(var eventInfo MoveEvent)

The first along than the first of the first that th

```
; using the variable passed from the calling form (current code field value); locate the code in the courses table
                                                                                                                                                                                                                                                     incoming = lib.getVar()    ;take the variable passed from calling form
;incoming.view("Receiving this from the library...")
; incoming.view()
if eventInfo.isPreFilter() then
;// This code executes for each object on the form
                                                                                   else ;// This code executes only for the form
                                                                                                                                                                                                                                                                                                                                                                find manufacturer name in table if tc.locate("Link", incoming) then tbllink.resync(tc)
                                                                                                                                                                                                                                                                                                                                                                                                                                                   endIf
tblLink.moveTo()
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                endMethod
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         endIf
```

method arrive (var eventInfo MoveEvent)

```
; using the variable passed from the calling form (current code field value); locate the code in the courses table
                                                                                                                                                                                                                                                               incoming = lib.getVar()   ;take the variable passed from calling form
;incoming.view("Receiving this from the library...")
; incoming.view()
if eventInfo.isPreFilter() then
i// This code executes for each object on the form
                                                                                         else ;// This code executes only for the form
                                                                                                                                                                                                                                                                                                                                                                          if ind manufacturer name in table
if tc.locate("Mfg", incoming) then
    MfgTable.resync(tc)
endIf
MfgTable.moveTo()
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      endIf
```

```
if eventInfo.isPreFilter() then
    ;// This code executes for each object on the form
else
    ;// This code executes only for the form
doDefault

IF NOT lib.open(":sharelib:varlib1.1s1") THEN
    Message("Could not open library")
    return

ENDIF
; open a tcursor on the OTHER.DB table...
tc.open(":slings:other.db")
endIf
```

method arrive (var eventInfo MoveEvent)

For first that when when the time that the time that the time the time that the time that the time that the time the time that the time that the time that the time the time that the time the time that the time the time the time that the time the time the time that the time that the time that the

```
; using the variable passed from the calling form (current code field value); locate the code in the courses table
                                                                                                                                                                                                                                                                      incoming = lib.getVar()    ;take the variable passed from calling form
;incoming.view("Receiving this from the library...")
; incoming.view()
if eventInfo.isPreFilter() then
;// This code executes for each object on the form
                                                                                          else :// This code executes only for the form
                                                                                                                                                                                                                                                                                                                                                                                       / find manufacturer name in table
if tc.locate("Other", incoming) then
tblother.resync(tc)
endIf
tblother.moveTo()
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  endMethod
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          endIf
```

```
method open(var eventInfo Event)

if eventInfo.isPreFilter() then
    ;// This code executes for each object on the form

else
    ;// This code executes only for the form

doDefault

IF NOT lib.open(":sharelib:varlib1.ls!") THEN
    Message("Could not open library")
    return
    return

ENDIF
    ; open a tcursor on the SIZE.DB table...

tc.open(":slings:linksize.db")
endIf
```

```
; using the variable passed from the calling form (current code field value); locate the code in the courses table
                                                                                                                                                                                                                                                                                                                                                                               incoming = lib.getVar() ;take the variable passed from calling form
;incoming.view("Receiving this from the library...")
; incoming.view()
                                                                                                                           if eventInfo.isPreFilter() then
;// This code executes for each object on the form
                                                                                                                                                                                                                else ,// This code executes only for the form
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        ; find manufacturer name in table if tc.locate("Size", incoming) then tblSize.resync(tc)
                                                                          method arrive(var eventInfo MoveEvent)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            endIf
tblSize.moveTo()
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           endIf
```

that are at a set in that men with it has not only of that and other than the set of the tast other than

```
; using the variable passed from the calling form (current code field value); locate the code in the courses table
                                                                                                                                                                                                                                                                                        incoming = lib.getVar() ;take the variable passed from calling form
;incoming.view("Receiving this from the library...")
; incoming.view()
                                                if eventInfo.isPreFilter() then
;// This code executes for each object on the form
                                                                                                                                else #1/ This code executes only for the form
                                                                                                                                                                                                                                                                                                                                                                                            find manufacturer name in table
if tc.locate("Type", incoming) then
tblType.resync(tc)
endIf
tblType.moveTo()
method arrive(var eventInfo MoveEvent)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           endMethod
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      endIf
```